L Number	Hits	Search Text	DB	Time stamp	
46	4702	(application client software process) with (number amount total) with (socket tunnel pipe)	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/09/02 11:07	
47	182	((application client software process) with (number amount total) with (socket tunnel pipe)) and ((determin\$3 comput\$3) with (configur\$7 setting\$3) with (network system environment))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/02	
48	13379	((determin\$3) with (configur\$7) with (network cluster\$3 system environment))	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/09/02	
49	69	(((determin\$3) with (configur\$7) with (network cluster\$3 system environment))) and ((set\$5 configur\$5) with (parameter setting) with (socket pipe tunnel))	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/09/02 12:30	
50.	352	710/56.ccls.	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/09/02 12:30	
51	17	710/56.ccls. and (((determin\$3) with (configur\$7) with (network cluster\$3 system environment)))	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/09/02 12:30	
~	0	(tun\$3 near3 socket) and (buffer near3 size)	USPAT; EPO; JPO; DERWENT;	2003/10/15	
-	179	tun\$3 near3 socket	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/10/13 11:16	
-	63	tuning near3 socket	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM TDB	2003/10/13	. •
-	7178	socket and buffer	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/10/13	
-	590	TCP/IP near3 socket	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/10/13 11:17	
<del>.</del>	541815	(TCP/IP near3 socket) adn buffer	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/10/13	:
<u>.</u> .	202	(TCP/IP near3 socket) and buffer	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/10/13 11:17	
<del>-</del> 	31	(TCP/IP near3 socket) and ((send\$3 transmit\$3) near3 buffer) and ((receiv\$3 recept\$3) near3 buffer)	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/10/13 11:26	·
-	1328	socket and (determin\$3 near3 configur\$5)	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/10/13 11:27	. !
-	126	socket and ((determin\$3 near3 configur\$5) with (network environment))	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/10/13 11:55	!
-	7690	open near3 socket	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/10/13 11:55	

355   (open33 near3 socket) and (buffer)						
Configuration   Company   Configuration   Co			355	(open\$3 near3 socket) and (buffer)		2003/10/13
						12:22
0   (socket and ((determin33 detect33) near3 (configurs5))   12:24   12:34					1	·
(network environment) near3 (configura5)   and (socket near3   DERMENT;   IBM TDB   12:24   DERMENT;   IBM TDB   12:25   DERMENT;   IBM TDB	_			(socket and ((determin\$3 detect\$3) near3		2003/10/13
Configur\$5 ) and (socket near3   DERWENT;   DERWENT;   Configur\$5 ) and (socket near3   near3   (network environment) near3 (configur\$5 ) and (socket near3 setting)   Socket and ((determin\$3 detect\$3) near3   (network environment) near3 (configur\$5 )   DERWENT;   IBM TOD   12:24   (network environment) near3 (configur\$5 )   DERWENT;   IBM TOD   12:25   (network environment) near3 (configur\$5 )   DERWENT;   IBM TOD   USPAT;   U						1 .
BIM TDB   100 (socket and ((determin\$3 detect\$3) near3 (network environment) near3 (configur\$5))   30 (socket near3 setting)   18M TDB   12:24   12:25   12:						
(network environment) near3 (configura5)   and (socket near3 setting)   DEFECTION   DEFE				parameter)	IBM TDB	
Configurish  and (socket hear3 setting)		:	0.5		,	1
Socket and ((determin\$3 detect\$3) near3 (network environment) near3 (configur\$5)   SPA7; (EPO, JPO; DEWNNT; IRM, TDB (configur\$5)) and (open near3 socket)   SPA7; (EPO, JPO; DEWNNT; IRM, TDB (configur\$5)) and (open near3 socket)   SPA7; (EPO, JPO; DEWNNT; IRM, TDB (configur\$5)) and (open near3 socket)   SPA7; (EPO, JPO; DEWNNT; IRM, TDB (configuration)   SPA7; (EPO, JPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO;						12:24
69   socket and ((determin\$3 detect\$3) near3 (network environment) near3 (configur\$5)   7   2003/10/13   12:25   12:				(configur\$5))) and (socket near3 setting)	· ·	
(network environment) near3 (configurs5)			60	gasket and //determines detectes nears		2002/10/12
	-		09		· ·	1 ' '
Tem TDB   USPAT;   Configuration   USPAT;   EPO; JPO;   DERWENT;   Living Tob   USPAT;   Configuration   USPAT;   Considerate   USPAT;				(neework environment) nears (confragelys),		
(network environment) near3   SEPO, JPO;   Configurs(5)) and (open near3 socket)						1.
Configur\$5)) and (open near3 socket)	-		-7		USPĀT;	2003/10/13
1322   (open near3 (socket pipe tunnel)) and (network environment)					· ·	12:25
4322   (open near3 (socket pipe tunnel)) and (network environment)   11:53   12:03   12:03   12:01				(configur\$5))) and (open near3 socket)		
(network environment)			1222	/onen neam? /gegket nine tunnell) and		2002/10/14
Open near3 (socket pipe tunnel) and (network near3 configuration)   DERWENT; IBM TDB   USPAT;   EPO; JPO; JPO; DERWENT;   EPO; JPO; JPO; DERWENT	-		. 4322			
Topen near3 (socket pipe tunnel) and (network near3 configuration)				ALLOWALE CHARLEST CONTROLLED		11.00
Copen near3 (socket pipe tunnel) and (network near3 configuration)			·			
- 0 (open\$3 with socket with (determin\$3 detect\$3) with network with (determin\$3 detect\$3) with socket with (determin\$3 detect\$3) with configuration)  - 11 (open\$3 with socket with (determin\$3 detect\$3) with configuration)  - 3 (open\$3 with socket with (determin\$3 detect\$3) with network)  - 3 (open\$3 with socket with (determin\$3 detect\$3) with network)  - 35012 (socket pipe tunnel) and network  - 35012 (socket pipe tunnel) and network  - 13 (((socket pipe tunnel) and network) and current near3 socket) and remote near3  - 241 ((socket pipe tunnel) and network) and current near3 socket  - 241 ((socket pipe tunnel) and network) and current near3 socket  - 3 (buffer near3 tuning) and socket  - 3 (buffer near3 tuning) and socket  - 138 buffer near3 tuning) and network  - 139 buffer near3 tuning with socket  - 141 (buffer near3 tuning) with socket  - 0 (buffer near3 tuning) with socket  - 0 (buffer near3 tuning) with (socket pipe tunnel) uspar; EPO; JPO; DERWENT; IBM TDB uspar; EPO; JPO; DERWENT; EPO; JPO			. 76	(open near3 (socket pipe tunnel)) and	USPĀT;	
O   (open\$3 with socket with (determin\$3   USPAT; configuration)   (open\$3 with network with configuration)   (open\$3 with socket with (determin\$3   USPAT; configuration)   (open\$4 with socket with (determin\$3   USPAT; configuration)   (open\$4 with socket with (determin\$3   USPAT				(network near3 configuration)		12:01
O   (open\$3 with socket with (determin\$3   USPAT; 2003/10/14   detect\$3) with network with   (PP) JPO; JPO; DERWENT; IBM TDB   USPAT; EPO; JPO; DERWENT, ISPAT; EPO; JPO; JPO; DERWENT, IS	ŀ					
detect\$3) with network with configuration   DERWENT; IBM TDB   2003/10/14   2:03   2:03   2				/ananca with analyst with /datappinca		2002/10/14
Configuration   DERWENT;   LBM TDB   USPAT;   EPO; JPO;   DERWENT;   LBM TDB   USPAT;   LBM TDB   USPAT;   LBM T	-		0			
TIM TDB   Copen\$3 with socket with (determin\$3 detect\$3) with configuration   Copen\$3 with socket with (determin\$3 detect\$3) with network   EPO; JPO; DERWENT; LBM TDB   Copen\$3 with socket with (determin\$3 detect\$3) with network   EPO; JPO; DERWENT; LBM TDB   Copen\$4 with network   EPO; JPO; DERWENT; LBM TDB   Copen\$5 with network   EPO; JPO; DERWENT; LBM TDB   Copen\$5 with network   EPO; JPO; DERWENT; LBM TDB   Copen\$5 with network   Copen\$5 with network   EPO; JPO; DERWENT; LBM TDB   Copen\$5 with network   Copen\$5 with						12.02
detect\$3) with configuration   EPO; JPO; DERWENT; IBM_TDB   USPAT; EPO; JPO; DERWENT; IBM_TDB   USPA						,
DERWENT;   IBM TDB   USPAT;   EPO; JPO;   DERWENT;   EPO; JPO;   DE	_		· 11		USPĀT;	2003/10/14
Second   S				detect\$3) with configuration)		12:03
- 35012 (socket pipe tunnel) and network USPĀT; EDO; JPO; DERWENT; IBM TDB USPĀT; 2003/10/14 EPO; JPO; DERWENT; IBM TDB USPĀT; EPO; JPO; DERWENT; E			**			
detect\$3) with network				(amont2 with market with (determint2		2002/10/14
- 35012 (socket pipe tunnel) and network   DERWENT; IBM_TDB   USPAT; EPO; JPO; DERWENT; EPO	-		3	detect\$3) with network)		
Socket pipe tunnel   and network   Sepo; JPO; DERWENT; IBM_TDB   Socket   and remote near3   Socket   and remote near3   Socket   and remote near3   Socket   Sepo; JPO; DERWENT; IBM_TDB   Sepo; JPO; DERWENT; IBM_TDB   Socket   Sepo; JPO; DERWENT; IBM_TDB   Sepo; JPO; DERWENT; ISM_TDB   Sepo; JPO; DERWEN				detectys/ with network/		,
- 35012 (socket pipe tunnel) and network USPAT; EPO; JPO; DERWENT; IBM TDB		,				
DERWENT; IBM TDB USPAT; 2003/10/14 EPO; JPO; DERWENT; IBM TDB USPAT; EPO; JPO; DERWENT; ISM TDB	-		35012	(socket pipe tunnel) and network		2003/10/14
13			,			15:02
13    (((socket pipe tunnel) and network) and current near3 socket) and remote near3   USPAT;   2003/10/14   15:02   DERWENT;   IBM_TDB   USPAT;   2003/10/14   15:06   DERWENT;   IBM_TDB   USPAT;   EPO; JPO;   DERWENT;   ISM_TDB   USPAT;   EPO; JPO;   DERWENT;   EPO; JPO;					,	·
Current near3 socket   and remote near3   EPO; JPO; DERWENT; IBM_TDB   USPAT;   2003/10/14   EPO; JPO; DERWENT; IBM_TDB   USPAT;   EPO; JPO; DERWENT; ISM_TDB   USPAT;   EPO; JPO; DERWENT; ISM_TDB   USPAT;   EPO; JPO; DERWENT;   ISM_TDB   USPAT;   EPO; JPO;   ISM_TDB   USPAT;   EPO; JPO;   ISM_TDB   USPAT;   EPO; JPO;   ISM_TDB   USPAT;   ISM_TDB   USPAT;   ISM_TDB   USPAT;   ISM_TDB   USPAT;   ISM_TDB   USPAT;   ISM_TD			13	///gogket nine tunnell and network and	_	2002/10/14
Socket			. 13			
241					ł.,	
Current near3 socket					IBM_TDB	
DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; IBM_	-	•	241			
BM_TDB				current near3 socket		15:06
3						•
EPO; JPO; DERWENT; IBM TDB USPAT; EPO; JPO; DERWENT; EPO; JPO; DERWENT; EPO; JPO; DERWENT; DERWENT;	1		3.	(buffer near3 tuning) and socket		2003/10/14
DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	1			\ballet ficals calling, and because		1
138   buffer near3 tuning						
EPO; JPO; DERWENT; IBM_TDB   USPAT;						
DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; EPO; JPO; DERWENT; EPO; JPO; DERWENT;			138	buffer near3 tuning	· '	·
- 41 (buffer near3 tuning) and network  (buffer near3 tuning) and network  (buffer near3 tuning) with socket  (buffer near3 tuning) with socket  (buffer near3 tuning) with (socket pipe (buffer near3 tuning) with (socket pipe tunnel)  (buffer near3 tuning) with (socket pipe tunnel)  (buffer near3 tuning) with (socket pipe tunnel)						16:01
- 41 (buffer near3 tuning) and network  USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; EPO; JPO; DERWENT; EPO; JPO; DERWENT;		•		·	•	
- 0 (buffer near3 tuning) with socket  0 (buffer near3 tuning) with socket  0 (buffer near3 tuning) with (socket pipe tunnel)  15:17  EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT;  EPO; JPO; DERWENT;	_		41	(buffer near3 tuning) and network		2003/10/14
- 0 (buffer near3 tuning) with socket  0 (buffer near3 tuning) with socket  0 (buffer near3 tuning) with (socket pipe tunnel)			•••			
- 0 (buffer near3 tuning) with socket USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; tunnel) with (socket pipe tunnel) EPO; JPO; DERWENT;				·	DERWENT;	
- 0 (buffer near3 tuning) with (socket pipe tunnel)  EPO; JPO; DERWENT; IBM_TDB USPAT; 2003/10/14 EPO; JPO; DERWENT;	1 .					
- 0 (buffer near3 tuning) with (socket pipe USPAT; tunnel)	-		0	(buffer near3 tuning) with socket		
- 0 (buffer near3 tuning) with (socket pipe USPAT; EPO; JPO; DERWENT;						15:1/
- 0 (buffer near3 tuning) with (socket pipe USPAT; 2003/10/14 tunnel) EPO; JPO; DERWENT;		,		·		
tunnel) EPO; JPO; DERWENT;	-		o	(buffer near3 tuning) with (socket pipe		2003/10/14
DERWENT;						
IBM TDB						
	L				IBM TDB	

	<del></del>			
-	. 0	(buffer near3 tuning) same (socket pipe	USPAT;	2003/10/14
1	{	tunnel)	EPO; JPO;	15:18
1	1	·	DERWENT;	1
1_	0	(open near3 socket) with (set near3	IBM_TDB USPAT;	2003/10/14
ł		parameter)	EPO; JPO;	15:27
1	ļ	paramoor,	DERWENT;	15.27
)	)		IBM TDB	
	. 1	(open near3 socket) same (set near3	USPAT;	2003/10/14
	,	parameter)	EPO; JPO;	15:19
'			DERWENT;	
ĺ	_	·	IBM_TDB	
_	17445	open\$3 near3 socket	USPAT;	2003/10/14
	1		EPO; JPO;	15:27
			DERWENT;	
1_	709	(open\$3 near3 socket) and network	IBM_TDB USPAT;	2003/10/14
}.	103	(opens nears socket) and network	EPO; JPO;	15:42
	Į.		DERWENT;	13.42
ļ			IBM TDB	ļ
_	53508	socket.ti.	USPAT;	2003/10/14
j			EPO; JPO;	15:42
1			DERWENT;	1
			IBM_TDB	
-	0	socket.ti. and netowrk	USPAT;	2003/10/14
		· ·	EPO; JPO;	15:43
1			DERWENT;	}
_	670	socket.ti. and network	IBM_TDB	2002/10/14
-	0,0	Socket.ti. and network	USPAT;	2003/10/14
	)		EPO; JPO; DERWENT;	15:43
			IBM TDB	}
-	2611	TCP/IP and (socket pipe tunnel)	USPAT;	2003/10/14
		L.	EPO; JPO;	16:02
,			DERWENT;	
			IBM TDB	1
-	307		USPAT;	2003/10/14
1		(socket pipe tunnel))	EPO; JPO;	16:23
}		•	DERWENT;	{
			IBM_TDB	1
_	2	network near3 adapter near3 segment near3	USPAT; EPO; JPO;	2003/10/14
		3126	DERWENT;	16:35
			IBM TDB	J
] _	1	adapter near3 transmit near3 limit	USPAT;	2003/10/14
j	· -	•	EPO; JPO;	16:26
			DERWENT;	[
	{		IBM_TDB	
<u> </u>	1	adapter near3 transmit\$3 near3 limit	USPĀT;	2003/10/14
	1		EPO; JPO;	16:26
1			DERWENT;	
1_	290	   maximum near3 segment near3 size	IBM_TDB USPAT;	2002/10/14
1	290	maximum nears segment nears size	EPO; JPO;	2003/10/14
1			DERWENT;	16:35
Į			IBM TDB	[ ]
-	21	(maximum near3 segment near3 size) with	USPAT;	2003/10/14
		network	EPO; JPO;	16:49
			DERWENT;	
•			IBM_TDB	
-	0	current near3 socket near3 buffer	USPAT;	2003/10/15
			EPO; JPO;	10:09
			DERWENT;	
	9	anakat manna huffan manna	IBM TDB	0000/10/15
-	9	socket near3 buffer near3 size	USPAT;	2003/10/15
)			EPO; JPO; DERWENT;	10:09
			IBM TDB	,
] -	38	initiat\$3 near3 socket near3 connection	USPAT;	2003/10/15
			EPO; JPO;	12:48
ĺ	[		DERWENT;	
			IBM TDB	
				·

-	9	(initiat\$3 near3 socket near3 connection)	USPAT;	2003/10/15
		and local near3 socket	EPO; JPO;	10:44
			DERWENT;	
			IBM TDB	
-	177	(current existing) near3 buffer near3	USPAT;	2003/10/15
	1 , ,	size	EPO; JPO;	10:52
		3446	DERWENT;	
			IBM TDB	
	0	(	USPAT;	2003/10/15
-	"		1	10:52
		buffer near3 size	EPO; JPO;	10:52
-		•	DERWENT;	·
			IBM_TDB	0000/00/05
-	0	(current existing) near3 (socket pipe	USPAT;	2003/10/15
		tunnel) near3 buffer near3 size	EPO; JPO;	10:53
			DERWENT;	
	,		IBM TDB	
	100	(current existing) near3 (socket pipe	USPĀT;	2003/10/15
		tunnel) near3 size	EPO; JPO;	10:53
			DERWENT;	·
			IBM TDB	
	13	(current existing) near3 socket near3	USPAT;	2003/10/15
1 -	13	·	EPO; JPO;	10:54
		size	DERWENT;	10.54
	'		IBM_TDB	0000 (10 (15
	87	(current existing) near3 (pipe tunnel)	USPAT;	2003/10/15
	1	near3 size	EPO; JPO;	10:54
			DERWENT;	
			IBM_TDB	
_	590	number with socket with open\$3	USPAT;	2003/10/15
		•	EPO; JPO;	12:49
			DERWENT;	
			IBM TDB	
_	6	number with remote with socket with	USPAT;	2003/10/15
1		open\$3	EPO; JPO;	12:50
		openy 3	DERWENT;	
			IBM TDB	
	72	(number with socket with open\$3) and	USPAT;	2003/10/15
<del>-</del> .	'2	network	EPO; JPO;	12:50
	1	Hermork	DERWENT;	
		•		
		2 1	IBM_TDB	2004/05/19
-	. 81	number near3 socket near3 open\$3	USPAT;	
			EPO; JPO;	13:01
			DERWENT;	
			IBM_TDB	
-	1	6304967.pn. and (request near3 broker)	USPAT;	2004/05/19
'	1		EPO; JPO;	13:19
]		•	DERWENT;	
	1		IBM TDB	
I	1	6304967.pn. and ((request near3 broker)	USPAT;	2004/05/19
		same socket)	EPO; JPO;	13:42
1			DERWENT;	
	1		IBM TDB	
_	0	6304967.pn. and cluster	USPAT;	2004/05/19
	J	OJO 1907. Pir. and Olabor	EPO; JPO;	13:42
	-		DERWENT;	
	1		IBM_TDB	